Sthor

\$29.95

FLUX GLOVES

- Thor's lightest, coolest, and least restrictive glove; designed for riders that want minimal restriction and maximum interface with the bike
- Dimple mesh and Q-span construction for maximum flexibility and airflow
- Pre-curved shape eliminates bunching in palm area
- Perforated palm for heat discharge
- Stretch-mesh finger gussets for breathability
- Asymmetrical Light-Prene cuff with integrated flex panel for a secure fit with SUG. RETAIL.... maximum mobility

maximum n									
SIZE	(A) HYPNOTIC	(B) EROSION	(C) LAZER						
Small	3330-2009	3330-2014	3330-2019						
Medium	3330-2010	3330-2015	3330-2020						
Large	3330-2011	3330-2016	3330-2021						
X-large	3330-2012	3330-2017	3330-2022						
XX-large	3330-2013	3330-2018	3330-2023						



CORE GLOVES

- The best-fitting, most performance-oriented glove Thor's ever made
- · Air-mesh backhand for breathability and comfort
- •Two-way stretch across knuckles and fingers for improved flexibility
- Pre-curved grip fingers reduce fatigue and prevent bunching in the palm area
- Dimple mesh construction for increased airflow
- •Integrated top-of-hand TPR detail
- Tacky silicone print on fingertips and palm overlay for added grip and increased lever control
- •TPR hook-and-loop wrist closure system

(A) BLACK	(B) RED	(C) BLUE	(D) ZEBRATEC
3330-2030	3330-2036	3330-2042	3330-2048
3330-2031	3330-2037	3330-2043	3330-2049
3330-2032	3330-2038	3330-2044	3330-2050
	3330-2030 3330-2031	3330-2030 3330-2036 3330-2031 3330-2037	3330-2030 3330-2036 3330-2042 3330-2031 3330-2037 3330-2043



SIZE	(A) BLACK	(B) RED	(C) BLUE	(D) ZEBRATEC
Large	3330-2033	3330-2039	3330-2045	3330-2051
X-large	3330-2034	3330-2040	3330-2046	3330-2052
XX-larae	3330-2035	3330-2041	3330-2047	3330-2053

PHASE GLOVES

- The perfect combination of coverage and flexibility
- •Dimple-Mesh chassis provides an excellent fit
- •Genuine Clarino® palm offers durability and control
- Airprene cuff for a secure fit
- Silicone fingertips for added grip and increased lever control

	RETAIL	•	4			
CHIC	DETAIL	•		u	U	
SUU.	KEIAIL			7	. 7 🖂	,

SIZE	(A) BLACK	(B) RED	(C) BLUE	(D) YELLOW	(E) GREEN	(F) ORANGE
X-small	3330-2054	3330-2060	3330-2066	3330-2072	3330-2078	3330-2084
Small	3330-2055	3330-2061	3330-2067	3330-2073	3330-2079	3330-2085
Medium	3330-2056	3330-2062	3330-2068	3330-2074	3330-2080	3330-2086
Large	3330-2057	3330-2063	3330-2069	3330-2075	3330-2081	3330-2087
X-large	3330-2058	3330-2064	3330-2070	3330-2076	3330-2082	3330-2088
XX-large	3330-2059	3330-2065	3330-2071	3330-2077	3330-2083	3330-2089





DB-02 OFF-ROAD SPEEDOMETER

- •Specifically designed for use on dirt bikes and ATVs
- •Internal battery allows use on models without 12V power source
- Easy-to-read digital LCD display with white backlight
- •Displays speed (0-225 mph; 0-360km/h), digital and bar graph tachometer, odometer, dual trip meters, hour meter, thermometer and volt meter
- •Indicator lights for three-stage shift warning, adjustable speed warning and temperature warning
- •Keeps record of top speed, max rpm and top temperature
- •Measures: 2.6" H x 4.28" W x 1.05" D (66.7x108.7x26.8mm)
- Includes gauge bracket, active speed sensor, speed sensor brackets and magnet and two temperature sensors
- •Plug-in indicator kit available separately

SUG. RETAIL......\$221.95

DL-02S SPEEDOMETER

- Easy-to-read digital LCD display with blue backlight and chrome housing
- Two easy-to-access function buttons on front of instrument
- •Displays speed (0-160 mph; 0-260 km/h), odometer, trip meter, riding time and fuel level
- Records average speed and top speed
- •Measures: 2.17" dia. (55mm) without bezel; 2.55" dia. (64.8mm) with bezel
- •Includes gauge bracket, active speed sensor, speed sensor bracket and speed sensor magnet

RX2-NR GP-STYLE RACE TACHOMETER

- Easy-to-read gauge with dial-type tachometer and digital display
- •Blue back-lit dial with lighted needle shows tachometer with 0-16000 rpm range; light point shows max rpm that is regularly reached
- Digital display shows tachometer and thermometer
- Programmable shift light
- Adjustable high temperature warning
- •Keeps record of max rpm and top temperature
- •Measures: 4" H x 5.35" W x 2.05" D (100.7x135.7x52mm)
- •Includes gauge bracket and temperature sensor

SUG. RETAIL......\$199.95

DL-02R TACHOMETER

- Easy-to-read digital LCD display with blue backlight and chrome housing
- Two easy-to-access function buttons on front of instrument
- •Displays adjustable tachometer (10,000, 15,000 or 20,000 rpm range), thermometer and clock
- •Measures: 2.17" dia. (55mm) without bezel; 2.55" dia. (64.8mm) with bezel
- •Includes gauge bracket and temperature sensor

SUG. RETAIL......\$169.95

DB-02R STREET/RACE SPEEDOMETER

- Easy-to-read digital LCD display with white backlight
- •Displays speed (0-225 mph; 0-360km/h), digital and bar graph tachometer, odometer, dual trip

meters, hour meter, thermometer, volt meter and fuel level

- •Indicator lights for three-stage shift warning, adjustable speed warning and temperature warning
- Keeps record of top speed, max rpm and top temperature
- Additional features include target speed timer, target distance timer and top speed timer
- •Measures: 2.6" H x 4.28" W x 1.05" D (66.7x108.7x26.8mm)
- •Includes gauge bracket, active speed sensor, speed sensor brackets and magnet and two temperature sensors
- Plug-in indicator kit available separately

SUG. RETAIL......\$239.95

PLUG-IN INDICATOR KIT

FOR KOSO DB-02 AND DB-02R SPEEDOMETERS

- Docks with DB-02 and DB-02R speedometers to add additional indicators
- •Unlike other indicator kits, this model can be custom built to match any use
- Eight indicator light slots accept any of the twelve available symbols: turn signal, turn signal (option 2), hazard, high beam, low beam, fuel, water, neutral, reverse, engine, oil, maintenance and solid black
- •Measures: 2.85" H x 5.57" W x .73" W (72.4x141.5x18.4mm)

SUG. RETAIL......\$39.95 PART # 2201-0084





PLUG-AND-PLAY KITS AND ADAPTER BOARDS FOR KAWASAKI EX250 NINJA

FOR USE WITH KOSO RX-2 AND RX-2N SPEEDOMETERS

- Allows use of Koso RX-2 and RX-2N gauges on Kawasaki EX250 Ninja
- •Plug-and-play kits include wiring harness and all necessary sensors

	•
DESCRIPTION	PART #
RX-2 adapter board	2201-0086
RX-2 plug-and-play kit	2201-0088

SUG. RETAIL	. 947.7 3
DESCRIPTION	PART #
RX-2N adapter board	2201-0087
RX-2N plug-and-play kit	2201-0089

MINI TACHOMETER

- · Compact, easy-to-read LCD display
- •Displays tachometer within 0-15000 rpm range
- Records max rpm
- •Measures: 1.33" H x 2.42" W x .61" D (33.7x61.5x15.6mm)







GP-STYLE UNIVERSAL TACHOMETER WITH TEMPERATURE GAUGE

- · Contrasting, easy-to-read black background with blue backlight
- Stepper motor keeps dial needle stable through the heaviest vibrations
- Gauge dial shows tachometer with 0-9000 rpm range; adjustable by units of 100 rpm
- •Blue-backlit digital display shows water temperature
- Gauge measures 55mm (2.17") dia. without bezel; 61mm (2.4") dia. with bezel
- •Includes gauge bracket and water temperature sensor

PART #

2211-0090



MINI LAP TIMER

- •Complete kit includes lap timer, IR beacon and IR receiver
- •Internal battery allows use with or without 12V power source
- •White backlight for easy viewing during late day laps
- •Indicator lights for best lap check and signal check
- •Lap timer measures: 1.75" H x 3.43" W x .82" D (44.2x87.2x20.85mm)
- •IR beacon measures: 1.46" H x 5" W x 2.95" D (37x127.3x75mm)
- •IR receiver measures: .65" H x 2" W x 2" D (16.4x50x50.7mm)





PART #

PART #

2212-0308

2130-0057

GEAR INDICATOR

- Compact, easy-to-read blue LCD display
- •Indicates selected gear from neutral to sixth gear
- Programmable shift light
- •Measures: 1.97" H x 1.18" W x .95" D (50x30x24mm)
- Fits models listed below

FITS MODEL

999 03-07

|--|

ETAIL............\$13**7.**95 FITS MODEL

SUZUKI (CON

SV650 99-09

SV650S 01-02

GSX-R750 86-09

GSX-R1000 01-09

Hayabusa 99-09

VL1500 Intruder 04-05

SV1000 03-04

TL1000R 98-03

Daytona 600 04

Sprint RS 955 00-03

GSX1300R

TRIUMPH

GSX750F Katana 99-00

DL1000 V-Strom 02-09

FITS MODEL

TRIUMPH (CONT) Tiger 955 05

Daytona 955i 99-03 Speed Triple 1050 03 Sprint ST 1050 04, 06

Tiger 1050 07

YAMAHA FZ6 01, 03-07 YZF-R6 98-07

FZ1 00-07 YZF-R1 99-07

FJR1300 01-06 XV1700 Road Star Warrior 02-09

Mille 01-02 Mille Factory 04 Futura 01-02

Falco SL 1000 03
BENNELLI
Tornado 01-03
BMW
F650CS/GS 01-08
R1150R 02-04
DUCATI
749 03-06
996 99-01
998 02-04

FITS MODEL

CB600F 04, 06 CBR600F4 99-00 CBR600F4i Sport 01 CBR600RR 03-07 VFR750F 94-97 VFR800 02-10 CBR900/929/954RR 93-03 CBR1000RR 06-07 RVT1000R RC51 00-06 CBR1100XX 97-03 ST1300 03-09 VTX1800 02-08

FITS MODEL

KAWASAKI ZX-6R 00-10 Z750 04-07 ZX-9R 98-03 Z1000 03-07 ZX-10R 04-07 ZX-12R 00-05

MV AGUSTA Agusta F4S 00-05

SUZUKI

GSX600F Katana 98-06 GSX-R600 97-02

GSF600 Bandit 96-03 DL650 V-Strom 04-09

SUPER SLIM VOLT METER

- · Compact, easy-to-read LCD display
- •Displays voltage within 8-18V range with a resolution of 0.1V
- Visual low voltage warning
- •Measures: 1.06" H x 2.22" W x .43" D (27x56.4x11mm)

PART # 2212-0311



•Compact, easy-to-read LCD display

with a resolution of 0.1°F

•Visual high temp warning

(27x56.4x11mm)

•Displays temp within a 32-248°F range

•Measures: 1.06" H x 2.22" W x .43" D

PART #

2212-0312

HEATED GRIPS

•Durable construction and plenty of heat output

SUPER SLIM THERMOMETER

- Five levels of adjustment
- •Set includes connecting wire with heater switch and handlebar bracket
- •Included wiring harness will not interfere with throttle or brake control
- •For use with battery
- Available for thumb-type throttles (7/8" and 7/8"); does not include heated thumb pad

PART #





SPROCKETS

- •Steel front sprockets are precision manufactured and induction hardened to precise tolerances to improve concentricity and provide a stronger, quieter and longer-lasting sprocket
- •Plated to resist corrosion and provide the factory works look
- •Drilled lightening holes reduce rotating mass
- Rear sprockets are available in aluminum, F5 PTFE black hardcoat or CAT5 aluminum
- •Aluminum rear sprockets are the standard in the race industry with tight tolerances and a unique tooth design
- •F5 PTFE black rear sprockets are built for endurance and are hard anodized with a jet black dye, then coated with PTFE for added lubricity
- •CAT5 rear sprockets are CNC manufactured to the tightest tolerances and feature a unique tooth design
- •CAT5 rear sprockets are also completely color anodized, excluding sweeps, mud grooves and teeth for a flash of color

SPROCKET APPLICATIONS

FITS MODEL	STOCK GEARING	CHAIN SIZE	FRONT SIZE	FRONT PART #	REAR SIZE	REAR SILVER ALUMINUM PART #	REAR F5 BLACK PART #	REAR CAT 5 BLACK PART #
BMW	STOCK OLAKINO	CHAIN SIZE	TROINT SIZE	TROITI TAKI #	KEAK JIZE	REAR SIEVER ALOMINOM TART #	REAR 13 DEACK TAKE #	REAR CAI 5 BEACK TART #
S1000RR 10	17-44	525	16	1212-0722	41	1211-1056	1211-1063	1211-1070
			17	1212-0723	42	1211-1057	1211-1064	1211-1071
					43	1211-1058	1211-1065	1211-1072
					44	1211-1059	1211-1066	1211-1073
					45	1211-1060	1211-1067	1211-1074
					46	1211-1061	1211-1068	1211-1075
					47	1211-1062	1211-1069	1211-1076
(520 conversion)	17-44	520	16	1212-0724	41	1211-1077	1211-1084	1211-1091
			17	1212-0725	42	1211-1078	1211-1085	1211-1092
			18	1212-0726	43	1211-1079	1211-1086	1211-1093
					44	1211-1080	1211-1087	1211-1094
					45	1211-1081	1211-1088	1211-1095
					46	1211-1082	1211-1089	1211-1096
					47	1211-1083	1211-1090	1211-1097


PRICE CHART

PART #	SUG. RETAIL												
1211-1056	\$69.95	1211-1063	\$74.95	1211-1070	\$74.95	1211-1077	\$64.95	1211-1084	\$70.95	1211-1091	\$70.95	1212-0722	\$32.95
1211-1057	69.95	1211-1064	74.95	1211-1071	74.95	1211-1078	64.95	1211-1085	70.95	1211-1092	70.95	1212-0723	32.95
1211-1058	69.95	1211-1065	74.95	1211-1072	74.95	1211-1079	64.95	1211-1086	70.95	1211-1093	70.95	1212-0724	32.95
1211-1059	69.95	1211-1066	74.95	1211-1073	74.95	1211-1080	64.95	1211-1087	70.95	1211-1094	70.95	1212-0725	32.95
1211-1060	69.95	1211-1067	74.95	1211-1074	74.95	1211-1081	64.95	1211-1088	70.95	1211-1095	70.95	1212-0726	32.95
1211-1061	69.95	1211-1068	74.95	1211-1075	74.95	1211-1082	64.95	1211-1089	70.95	1211-1096	70.95		
1211-1062	69.95	1211-1069	74.95	1211-1076	74.95	1211-1083	64.95	1211-1090	70.95	1211-1097	70.95		

BRAKE/CLUTCH LEVERS MOUNTS FOR BMW S1000RR 10

- Mounts are sold individually to allow customization and affordable replacement
- CNC-machined from billet aluminum

	DESCRIPTION	PART #
SUG. RETAIL\$27.95	Brake mount	0615-008
300. RETAIL 4 4 7 . 7 4		





FRAME SLIDER BASE **FOR BMW S1000RR 10**

- The ultimate in sportbike protection
- Patented revolutionary two-piece design accepts slider pucks (sold separately; see 2010 Parts Unlimited Street catalog)
- •Bracket type base requires no fairing modification and is suggested for stock fairings
- •When a crash occurs, there is no need to replace the entire set; simply replace the slider puck
- Shorty puck is also available when aerodynamics are a top priority NOTE: Be sure to order TWO Frame Slider PUCKS to accompany your Frame Slider BASE (pucks do not include bolts).

PART # 0505-1102







0615-0156

MIRROR BLOCK-OFFS **FOR BMW S1000RR 10**


- Provide clean and improved aerodynamics when mirrors are removed
- CNC-machined aluminum with black anodized finish
- •Not intended for street use

PART # 0641-0111

CASE GUARDS

- •Low-cost alternative to complete case covers
- •Offer protection against engine oil spillage in case of a crash
- CNC-machined from billet aluminum

FITS MODEL	DESCRIPTION	PART #	SUG. RETAIL
BMW			
S1000RR 10	Left guard	0940-0961	\$39.95
	Right guard	0940-0962	129.95



0940-0961

FITS MODEL	DESCRIPTION	PART #	SUG. RETAIL
YAMAHA			
YZR-R6 06-10	Left guard	0940-0964	\$129.95

0940-0964

1623-0119

REARSETS

- CNC-machined from solid billet aluminum; lighter and stronger
- Race grip footpegs offer traction for the most rigorous riding
- Wide range of adjustability and dual-roller bearings in each lever allow for ultra precise shifting and braking
- •New V2 designs have rubber folding adjustable toe pegs and independently mounted levers to help prevent binding in case of a crash

FITS MODEL	PART #	SUG. RETAIL
BMW		
S1000RR 10	1623-0119	\$439.95

FITS MODEL	PART #	SUG. RETAIL
KAWASAKI		
EX250R 08-10	1623-0120	\$418.95



MAGNUM ELECTRIC HORN SET


- Featuring an output of 118 dB, these are the loudest electric horns you can buy
- •Direct replacement for most 12V electric horns
- •Set includes two chrome finish horns (one high and one low tone), mounting brackets and installation instructions

NOTE: The use of a 30A relay (not included) to achieve maximum volume and protectthe stock electrical system is recommended.

MULTI APPLICATION AIR HORNS

- •Waterproof dual-trumpet air horns give a loud warning blast of 128 dB
- •Trumpets, mounts and brackets are triple-plated chrome
- •Includes horn assembly, air compressor, relay, simple wiring, cone-shaped dust/bug covers and complete installation instructions
- Air horns mount to the front right side engine guard: air compressor mounts to the frame behind the lowers
- •Uses the stock horn button; bolt-on, plug-in installation

SUG. RETAIL......\$199.95 PART # 2107-0068



FITS MODEL VL800 Intruder Volusia 01-04 C50, C50 (Black), S50 Boulevard 05-06 VS1400 Intruder 87-04 S83 Boulevard 05-06 VICTORY All Models, All Years

FITS MODEL

XVS650 V-Star Classic/Custom 97-09 XV750 Virago (w/ engine guards) 88-98 XV1000/1100 Virago (w/ engine guards) 84-99 XVS1100 V-Star Classic/Custom 99-09

XV1600 Road Star 99-09

CUSTOM LED TURN SIGNAL MIRRORS

• Anti-vibration design for clearer vision

VN700 85

- Feature super-bright LEDs that are easy to see in the brightest sun
- •Front amber LEDs work as both turn signals and running lights; bright red LEDs on the outer rim of the mirrored side function as turn signals
- •Notifies when signal is left on (for bikes without self-canceling turn signals)
- •Also feature crystal clear lenses and triple chrome-plated frames
- •Simple bolt-on, plug-in installation; includes adapters for metric motorcycles; convex mirrored glass measures 3" x 5.5"

NOTE: Some Triumph models may require additional hardware.

NOTE: If you want to replace a bike's turn signals with these lights check your state's driving lights guidelines first. Legal usages differ state by state.

NOTE: These LED Turn Signal Mirrors are designed to "piggy-back" with stock turn signals. If you wish to remove stock

turn signals and use these mirrors as replacements you will need to purchase a load equalizer to keep the mirror LEDs blinking in correct time.

PART # 0640-0525





Bridgestone

ORIGINAL EQUIPMENT TIRES

FOR SPORT, SPORT TOURING, **CRUISERS AND STANDARDS**

• The letter code in the tire size and rating column is also on the sidewall of the tire and the tire label; tires are the same size, but compound and construction will vary to suit the weight, horsepower and handling characteristics of the model for which each tire was designed

•H-rated for speeds up to 130 mph





0807-0096

G852R **G721**

FITS MODEL	POS.	SIZE & RATING	CODE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
YAMAHA						
XV1900 Raider 11	F	120/70-21	G721	62H	0307-0050	\$188.95
	R	210/40R-18	G852R	73H	0304-0173	314.95

AIR HAWK 2 **AIRHAWK 2 SEAT PADS**

- •Unique inflatable, multiple-cell design for the ultimate in comfortable seating and vibration absorption
- •Made from polyurethane and features a breathable, st
- base to protect your seat • Feature open-mesh side pan
- Patented Shape Fitting Technology eliminates painful pressure points and promotes consistent blood flow for a longer, more comfortable ride
- Automatically adjusts to the shape of the rider
- · Raises ride-height only slightly
- Securely fastens via double strap system running under seat or pillion
- •Will not scratch or disfigure existing seat or pillion
- Valve for inflation, adjustment and deflation

0807-0095	0807-0097
stretchable outer cover and a nonskid urethane	See.
unel to allow air circulation through individual air cells creating extra ventilation to reduce heat build	up

DESCRIPTION	PART #	SUG. RETAIL
Medium (14" L x 14" W)	0807-0095	\$99.95
Small (18" L x 12" W)	0807-0096	99.95
Small pillion (11" L x 9" W)	0807-0097	89.95







- •Designed to increase horsepower and torque
- •Accordion design provides increased airflow and optimum filtration
- •Original K&N High-Flow Technology
- Application specific sealing bead ensures an air-tight fit
- See 2010 Parts Unlimited Street catalog for cleaners
- Made in the U.S.A. for over 35 years

FITS MODEL	PART #	SUG. RETAIL
HONDA		
NSA700 DN-01 700 08-10	1011-2044	\$65.95
SUZUKI		
SFV650 Gladius 650 09-10	1011-2043	59.95
YAMAHA		
VMX1700 V-Max 09-10	1011-2045	59.95





- This specially designed filter wrap is made to extend the service interval of K&N Filterchargers when used in dusty conditions
- •Contains uniform micron openings like the K&N precharger, so air can get in but dirt and other contaminants cannot
- Silicone treatment deflects water splashed on the flame arrestor/air filter
- •Uses sewn-in elastic opening to securely fasten to flame arrestor/air filter
- •Custom fit

SUG. RETAIL....... \$32.95

1011-2046 PART #



BRAKE PADS AND SHOES

BY SBS

FOR BMW S 1000RR 10

- Parts Unlimited brake pads by SBS feature asbestos-free brakes using patented Unified Composite Technology (UCT)
- •UCT technology completely blends all brake pad materials into a balanced, unified pad
- This balance ensures no hot spots, glazing, premature fading or excessive rotor wear
- The result is powerful, fade-free braking performance, even in extreme conditions

STREETEXCEL SINTERED METAL PADS

- The best in sintered replacement pads for high-performance front (HS) and rear (LS) street applications
- •Use advanced sintering process technology; perfect for sport riding
- The highest coefficient of friction in the lineup to provide maximum stopping power
- Formulation also offers high fade-resistance and quick cool-down under severe braking
- •When you need to replace your worn sintered metal pads, choose STREETexcel; the sinter compounds with the power to stop you

RACING DUAL CARBON

- Dual Carbon (DC) brake pads were developed in World Superbike, World Supersport and Grand Prix racing to deliver the highest levels of brake pad performance
- New DEST (Dynamic Energy Surface Treatment) eliminates bedding-in procedure and brake fade
- •Full brake power after 8-10 stops; no thermal bedding required
- Consistent, powerful performance for the life of the brake pad
- Easy brake modulation and control; no rising friction curve at the end of a stop
- Initial brake pad bite is increased by 25% over current racing pad compounds
- Pads cause minimal wear on both racing stainless steel and cast iron discs
- Available for select high-performance applications

NOTE: NEVER use DC pads for street riding.

RACING SINTERED METAL PADS

- •Pure racing pads, racetrack tested by professional race teams
- •Front (RS) pads deliver outstanding performance with an extreme coefficient of friction (0.65) and temperature level over 300°C
- Dynamometer-tested to produce the best sintered racing pads available
- Compatible with today's high-performance rotors
- Available for a selective range of high-performance machines
- •Ideal pad choice for track days or stunt riding

NOTE: NEVER use RS pads for rear brake applications.

DUAL SINTER RACING PADS

• A new standard in roadracing stopping power

DUAL CARBON FRONT

- •A true "full factory" performance race pad, developed and tested by World Superbike and Supersport factory teams
- •Offers a strong initial brake "bite" and extended brake pad life; the ideal choice for endurance racing
- Available for the latest sport bikes and aftermarket calipers
- For track use ONLY!

APPLICATION CHART

RACING SINTERED METAL

FITS MODEL	SBS PAD #	METAL FRONT PAD PART #	FRONT PAD PART #	BRAKE PAD PART #	FRONT BRAKE PAD PART #
BMW					
S 1000RR 10	870	1721-1249	1721-1251	1721-1250	1721-1252
			DRICE LIST		

PRICE LIST

PART #	SUG. RETAIL						
1721-1249	\$56.95	1721-1250	\$72.95	1721-1251	\$60.95	1721-1252	\$215.95

DP BRAKES SINTERED METAL BRAKE PADS FOR BMW S 1000RR 10

STREETEXCEL SINTERED

- •DP Brakes brake pads are designed with sintered metal compounds to give your bike high-tech performance in all conditions
- Pads have a quick break-in period so you get maximum performance fast
- •DP Brakes design and materials ensure consistent hard stops and fade-free performance
- Sintered metal compounds outlast more conventional organic or Kevlar[®] pads
- DP Brakes were rated #1 in Germany's Motorrad magazine and England's Motorcycle News in brake pad shootout tests

STANDARD SINTERED METAL BRAKE PADS

- •GG friction rated and made with DP Brakes' proven sintered metal material
- Gray-colored aluminum oxide-based ceramic material on rear of backing plate keeps heat away from caliper piston and fluid in extreme conditions for fade-free performance
- •Pad compound gives equal performance in wet or dry conditions
- •Ideal replacement for street and touring machines where durability is the prime requirement
- •TUV/KBA approved to EEC braking regulation 13/05







RACING DUAL SINTERED

SPORT HH+ SUPERSPORT PADS

- Powerful, industry-high HH+ friction rating with no mileage penalty
- High-tech ceramic heat shield eliminates brake fade
- •Dust-free compound design
- •Quick break-in so you get maximum braking ability fast
- For front wheel use ONLY!

FITS MODEL	DP BRAKES FRONT PAD PART #	DP BRAKES SPORT HH+ FRONT BRAKE PAD PART #	SUG. RETAIL
BMW			
S 1000 RR 10	1721-1256	1721-1255	\$69.95

C-X-O

STORMRIDER HEATED BODYWARMER

- The warmest, safest and most durable heated vest on the market, but thin enough to be worn as a mid-layer (under an outer jacket of choice)
- •Uses breathable, lightweight, waterproof and windproof fabric called AirXtream®
- •The exo² FabRoc™ heated panel technology can even be hand washed
- The heated panels are located at the lower back/kidney area and chest, maintaining a constant 50°C or 122°F temperature
- •Fused power cable (supplied) connects directly to the snowmobile (must be equipped with an electric start and a 12V battery) or use exo² Power Pack and Charger (see page 57 of the 2011 Parts Unlimited Snow catalog)
- Can be used with an optional Stormrider Controller Unit providing nine levels of heat (see page 57 of the 2011 Parts Unlimited Snow catalog)
- Bodywarmer draws approximately 4.1 amps at full power
- •Uses left hand zipper
- Sizing is based on U.S. men's jacket sizes

NOTE: Heat operates in kidney area only when using the optional power pack.

DESCRIPTION	PART #
X-small (32-34")	2830-0171
Small (34-36")	2820-1359

RT #
20-1360
20-1361

SUG. RETAIL		\$2	239.9
DESCRIPTION	PART #	DESCRIPTION	PART #
X-large (46-48")	2820-1362	XXX-large	
XX-large (50-52"	2820-1363	(54-56")	2820-13
XX-large (50-52"	2820-1363	(54-56")	2820-13



- The heated kidney/lower back area, new heated pockets and zip-off sleeves promote use as an outer layer in addition to an active mid-layer
- •Made from superb windproof, waterproof and breathable Air Xtream[®] fabric, you can leave those mid-layers off and just enjoy your own personal climate control system
- •Fused power cable (supplied)
 connects directly to the snowmobile (must be equipped with an electric start and a 12V battery) or use exo² Power Pack and Charger (see page 57 of the 2011 Parts Unlimited Snow catalog)
- •Can be used with an optional Stormrider Controller Unit providing nine levels of heat (see page 57 of the 2011 Parts Unlimited Snow catalog)
- •An excellent choice for passengers or for milder days/climates (heating to 43°C or 110°F)
- Jacket draws approximately 0.6 amps
- •Uses left-hand zipper

coco rest musica Espper			4
 Sizing is based on U.S. 	men's jacket sizes	CIIC DETAIL	\$199.95

O	,
DESCRIPTION	PART #
X-small (34-36")	2820-1365
Small (37-39")	2820-1366
Medium (40-42")	2820-1367

PART #
2820-1368
2820-1369
2820-1370

HEATWAVE HEATED BACK SUPPORT

- •Heated lower back support/kidney belt has elasticized nylon sections with hook-and-loop closure and pull-forward handles for a good, snug fit
- •Use to ease the lower back muscle strains on long rides or through rough terrain
- •Fused power cable (supplied) connects directly to the snowmobile (must be equipped with an electric start and a 12V battery) or use exo² Power Pack and Charger (see page 57 of the 2011 Parts Unlimited Snow catalog)
- •Can be used with an optional Stormrider Controller Unit providing nine levels of heat (see page 57 of the 2011 Parts Unlimited Snow catalog)
- Back Support draws approximately 0.6 amps
- Sizing is based on actual waist measurement sug. RETAIL..... \$99.95

PART #
2703-0073
2703-0074
2703-0075

TOTAL SOUTH REITHIE	4 2 2 0 2 0
DESCRIPTION	PART #
X-large (38-44")	2703-0076
XX-large (42-48")	2703-0077

STORMWALKER HEATED VEST

- •Keep your whole mid-torso warm with the new StormWalker Heated Vest
- •Along with the heated lower back/kidney area, the heated pockets keep both the hands and the abdomen warm
- •Fused power cable (supplied) connects directly to the snowmobile (must be equipped with an electric start and a 12V battery) or use exo² Power Pack and Charger (see page 57 of the 2011 Parts Unlimited Snow catalog)
- •Can be used with an optional Stormrider Controller Unit providing nine levels of heat (see page 57 of the 2011 Parts Unlimited Snow catalog)
- •An excellent choice for passengers or for milder days/climates (heating to 43°C or 110°F)
- Jacket draws approximately 0.6 amps
- •Uses left-hand zipper
- •Sizing is based on U.S. men's jacket sizes SUG. RETAIL........ \$169.95

~	,
DESCRIPTION	PART #
X-small (34-36")	2830-0077
Small (37-39")	2830-0078
Medium (40-42")	2830-0079

	•
DESCRIPTION	PART #
Large (43-46")	2830-0080
X-large (48-51")	2830-0081
XX-large (52-55")	2830-0082

STORMSHIELD HEATED GLOVES

- Waterproof, windproof and breathable Porelle insert for comfort and safety
- Back and cuff are Cordura with cowhide leather water-repellent reinforcements
- Molded PVC knuckle protectors covered with Carbo-Leather
- Carbo-Leather reinforcements on cuffing and little finger
- Hook-and-loop wrist and cuff closure
- Visor wipe on each thumb
- •Each glove draws approximately 0.6 amps or 1.2 amps for the pair
- •Fused power cable, Y-splitter and long harness included, for use on snowmobiles with electric start and 12V battery
- Sizing is based on the circumference of the hand/palm just under the knuckles (not including the thumb) SUG. RETAI

DESCRIPTION	PART #
XX-small (4.5-5.5")	3310-0256
X-small (5.5-6.5")	3310-0257
Small (6.5-7.5")	3310-0131
Medium (7.5"-8.5")	3310-0132

